



N100 PORT SYSTEM FOR FUJIFILM X-MOUNT CAMERA SYSTEM (APS-C Format Lens)

	CAMERA LENS	GEAR	PORT ADAPTOR	EXTENSION RING	PORT	MOUNT CONVERTER	WET LENS	OPTICAL PERFORMANCE
MACRO APSC	Fujifilm XF 60mm f/2.4 R Macro			37401 N100 Extension Ring 30	37127 N100 Flat Port 32			
			36471 N100 to N85 Port Adaptor		36135 N85 Flat Port 45			
	Fujifilm XF 80mm f/2.8 R LM OIS WR Macro	36473 X80-F			37125 N100 Macro Port 110	SMC/CMC Option 1 - M67 Thread 81228 M67 Spacer Ring for SMC/CMC <i>(included in all SMC/CMC packaging)</i>	81201 SMC - 1	Max. Magnification 1.7X Working Distance 34-93mm
						SMC/CMC Option 2 - Bayonet Mount 83250 + 83214 M67 to Bayonet Mount Converter II + Bayonet Mount Adaptor for SMC/CMC	81201 SMC - 1	Max. Magnification 1.7X Working Distance 34-93mm
MACRO APSC	Zeiss Touit 50mm f/2.8M			37401 N100 Extension Ring 30	37127 N100 Flat Port 32	SMC/CMC Option 1 - M67 Thread 81228 M67 Spacer Ring for SMC/CMC <i>(included in all SMC/CMC packaging)</i>	81301 CMC - 1	Max. Magnification 1.3X Working Distance 17-75mm
						SMC/CMC Option 2 - Bayonet Mount 83250 + 83214 M67 to Bayonet Mount Converter II + Bayonet Mount Adaptor for SMC/CMC	81301 CMC - 1	Max. Magnification 1.3X Working Distance 17-75mm
						83250 M67 to Bayonet Mount Converter II <i>(included in all MWL-1 packaging)</i>	86201 MWL - 1	Lens FOV 31° Converted FOV 100°
						SMC/CMC Option 1 - M67 Thread 81228 M67 Spacer Ring for SMC/CMC <i>(included in all SMC/CMC packaging)</i>	81301 CMC - 1	Max. Magnification 1.3X Working Distance 17-75mm
			36471 N100 to N85 Port Adaptor		36135 N85 Flat Port 45	SMC/CMC Option 2 - Bayonet Mount 83250 + 83214 M67 to Bayonet Mount Converter II + Bayonet Mount Adaptor for SMC/CMC	81302 CMC - 2	Max. Magnification 1.0X Working Distance 30-130mm
						SMC/CMC Option 1 - M67 Thread 81228 M67 Spacer Ring for SMC/CMC <i>(included in all SMC/CMC packaging)</i>	81302 CMC - 2	Magnification Ratio 1.0X Max. Magnification 30-130mm
						SMC/CMC Option 2 - Bayonet Mount 83250 + 83214 M67 to Bayonet Mount Converter II + Bayonet Mount Adaptor for SMC/CMC	81301 CMC - 1	Max. Magnification 1.3X Working Distance 17-75mm
						83250 M67 to Bayonet Mount Converter II <i>(included in all MWL-1 packaging)</i>	81302 CMC - 2	Max. Magnification 1.0X Working Distance 30-130mm
STANDARD ZOOM APSC	Fujifilm XC 15-45mm f/3.5-5.6 OIS PZ	36476 X1545PZ-Z			36478 N100 Flat Port 40	83250 M67 to Bayonet Mount Converter II <i>(included in all MWL-1 packaging)</i>	¹ 83201 WWL - 1	Lens FOV 75-35° Converted FOV 130-60° Zoom Range 18-45mm
							83202 WWL - 1B	Lens FOV 75-35° Converted FOV 130-60° Zoom Range 18-45mm
							83203 WWL - C	Lens FOV 84-35° Converted FOV 130-54° Zoom Range 16-45mm
							86201 MWL - 1	Lens FOV 39-35° Converted FOV 150-114° Zoom Range 40-45mm

Max. Magnification is the maximum ratio that a subject can be reproduced on a camera's image sensor (APSC - 22.3 x 15mm, Full Frame - 36 x 24mm) at the closest working distance. Working distance operates from the distance between the subject and the front element of the close-up lens.

* Recommended port system based on best optical performance
* Secondary setup recommendation based on optical performance



N100 PORT SYSTEM FOR FUJIFILM X-MOUNT CAMERA SYSTEM (APS-C Format Lens)

	CAMERA LENS	GEAR	PORT ADAPTOR	EXTENSION RING	PORT	MOUNT CONVERTER	WET LENS	OPTICAL PERFORMANCE	
STANDARD ZOOM APSC	Fujifilm XF 18-55mm f/2.8-4 R LM OIS	36474 X1855-Z3	37304 N100 to N120 55mm Port Adaptor	37401 N100 Extension Ring 30	85203 N100 WACP-1			Lens FOV	75-52°
								85205 N100 WACP - C	Converted FOV
				37403 N100 Extension Ring 50	* 37129 N100 180mm Optical Glass Wide Angle Port			Lens FOV	75-52°
					18809 180mm Optical Glass Wide Angle Port			Converted FOV	130-90°
								Zoom Range	18-30mm
WIDE ANGLE APSC	Fujifilm XF 8-16mm f/2.8 R LM WR	36477 X816-Z	37304 N100 to N120 55mm Port Adaptor	22130 N120 Extension Ring 30 II	18809 180mm Optical Glass Wide Angle Port				
					* 18812 230mm Optical Glass Wide Angle Port II				
	Fujifilm XF 10-24mm f/4 R OIS	36475 X1024-Z	37304 N100 to N120 55mm Port Adaptor	37403 N100 Extension Ring 50	* 37129 N100 180mm Optical Glass Wide Angle Port				
					18809 180mm Optical Glass Wide Angle Port				
	Fujifilm XF 10-24mm f/4 R OIS WR	36479 X1024WR-Z	37304 N100 to N120 55mm Port Adaptor	37403 N100 Extension Ring 50	* 37129 N100 180mm Optical Glass Wide Angle Port				
					18809 180mm Optical Glass Wide Angle Port				
	Fujifilm XF 18mm f/2 R				36472 N100 Flat Port 13	83250 M67 to Bayonet Mount Converter II	1 83201 WWL - 1	Lens FOV	76.5°
								Converted FOV	132°
							83202 WWL - 1B	Lens FOV	76.5°
								Converted FOV	132°
	Fujifilm XF 23mm f/2 R				37127 N100 Flat Port 32	83250 M67 to Bayonet Mount Converter II	1 83201 WWL - 1	Lens FOV	63.4°
								Converted FOV	110°
							83202 WWL - 1B	Lens FOV	63.4°
								Converted FOV	110°

Max. Magnification is the maximum ratio that a subject can be reproduced on a camera's image sensor (APS-C - 22.3 x 15mm, Full Frame - 36 x 24mm) at the closest working distance. Working distance operates from the distance between the subject and the front element of the close-up lens.

* Recommended port system based on best optical performance
* Secondary setup recommendation based on optical performance